


rayMAX INFRA-RED DISTANCE CHART



Maximum Distance (Feet) (Not shown to scale)



Horizontal Angle of View (Degrees)




Europe / Middle East: Tel: +44 (0) 1670 520055 Email: sales@rayteccctv.com
 Americas (Toll Free): Tel: +1 888 505 8335 Email: ussales@rayteccctv.com

www.rayteccctv.com

rayLUX WHITE-LIGHT DISTANCE CHART



Maximum Distance (Feet) (Not shown to scale)



Horizontal Angle of View (Degrees)

FUSION DISTANCE CHART

Low Voltage Lighting



Infra-Red

Maximum Distance (Feet) (Not shown to scale)

	26	46	52	66	92	98	105	131	164	197	262	492
10	RM25-F-10					RM50-F-10					RM100-F-10	
20	RM25-F-30				RM50-F-30				RM100-F-30			
30	RM25-F-30				RM50-F-30				RM100-F-30			
40	RM25-F-50		RM50-F-50			RM100-F-50						
50	RM25-F-50		RM50-F-50			RM100-F-50						
60	RM25-F-120	RM50-F-120		RM100-F-120								
70	RM25-F-120	RM50-F-120		RM100-F-120								
80	RM25-F-120	RM50-F-120		RM100-F-120								
90	RM25-F-120	RM50-F-120		RM100-F-120								
100	RM25-F-120	RM50-F-120		RM100-F-120								
110	RM25-F-120	RM50-F-120		RM100-F-120								
120	RM25-F-120	RM50-F-120		RM100-F-120								

Horizontal Angle of View (Degrees)

White-Light

Maximum Distance (Feet) (Not shown to scale)

	23	33	39	49	56	82	115	164	328	
10	RL25-F-10						RL50-F-10		RL100-F-10	
20	RL25-F-30					RL50-F-30		RL100-F-30		
30	RL25-F-30					RL50-F-30		RL100-F-30		
40	RL25-F-50			RL50-F-50			RL100-F-50			
50	RL25-F-50			RL50-F-50			RL100-F-50			
60	RL25-F-120	RL50-F-120	RL100-F-120							
70	RL25-F-120	RL50-F-120	RL100-F-120							
80	RL25-F-120	RL50-F-120	RL100-F-120							
90	RL25-F-120	RL50-F-120	RL100-F-120							
100	RL25-F-120	RL50-F-120	RL100-F-120							
110	RL25-F-120	RL50-F-120	RL100-F-120							
120	RL25-F-120	RL50-F-120	RL100-F-120							

Horizontal Angle of View (Degrees)

